### SITE NAME: STRAFFORD EAST

15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

**SITE NUMBER: NAV-31** 

# FOR ZONING





#### GENERAL NOTES

THIS DOCUMENT IS THE CREATION, DESIGN, PROPERTY AND COPYRIGHTED WORK OF MARINER TOWER. ANY DUPLICATION OR USE WITHOUT EXPRESS WRITTEN CONSENT IS STRICTLY PROHIBITED. DUPLICATION AND USE BY GOVERNMENT AGENCIES FOR THE PURPOSES OF CONDUCTING THEIR LAWFULLY AUTHORIZED REGULATORY AND ADMINISTRATIVE FUNCTIONS IS SPECIFICALLY ALLOWED.

THE FACILITY IS AN UNMANNED PRIVATE AND SECURED EQUIPMENT INSTALLATION. IT IS ONLY ACCESSED BY TRAINED TECHNICIANS FOR PERIODIC ROUTINE MAINTENANCE AND THEREFORE DOES NOT REQUIRE ANY WATER OR SANITARY SEWER SERVICE. THE FACILITY IS NOT GOVERNED BY REGULATIONS REQUIRING PUBLIC ACCESS PER ADA REQUIREMENTS.



#### **72 HOURS**



UNDERGROUND SERVICE ALERT

#### SCOPE OF WORK: UNMANNED TELECOMMUNICATIONS FACILITY MARINER TOWER NAVIGATOR PROPERTIES, LLC. APPLICANT: P.O BOX 1160 KENNEBUNKPORT, ME 04046 15 STRAFFORD ROAD SITE ADDRESS: STRAFFORD, NH 03884 TAX ID/PARCEL ID: ZONING DISTRICT: RESIDENTIAL/AGRICULTURAL GAIL J. BARRY & MICHAEL A. BARRY, JR. PROPERTY OWNER: 15 STAFFORD ROAD LATITUDE: 43° 16' 16.92" N

LATITUDE: 43° 16' 16.92" N

LONGITUDE: 71° 07' 06.43" W

JURISDICTION: TOWN OF STRAFFORD STRAFFORD COUNTY

PROPOSED USE: TELECOMMUNICATIONS FACILITY

DRAW	ING	INDEX
SHEET		

PROJECT SUMMARY

Seneral Notes   5	NO.
C-1       ABUTTERS PLAN       3         C-2       EXISTING CONDITIONS PLAN       3         C-3       EXISTING CONDITIONS PLAN       3         C-4       SITE PLAN       5         C-5       ENLARGED SITE PLAN       5         C-6       GRADING PLAN       5         C-7       GRADING PLAN       5         C-8       BASIN PROFILE       5         C-9       DRIVEWAY PROFILE       5	T-1
C-2       EXISTING CONDITIONS PLAN       3         C-3       EXISTING CONDITIONS PLAN       3         C-4       SITE PLAN       5         C-5       ENLARGED SITE PLAN       5         C-6       GRADING PLAN       5         C-7       GRADING PLAN       5         C-8       BASIN PROFILE       5         C-9       DRIVEWAY PROFILE       5	GN-1
C-3       EXISTING CONDITIONS PLAN       3         C-4       SITE PLAN       5         C-5       ENLARGED SITE PLAN       5         C-6       GRADING PLAN       5         C-7       GRADING PLAN       5         C-8       BASIN PROFILE       5         C-9       DRIVEWAY PROFILE       5	C-1
C-4       SITE PLAN       5         C-5       ENLARGED SITE PLAN       5         C-6       GRADING PLAN       5         C-7       GRADING PLAN       5         C-8       BASIN PROFILE       5         C-9       DRIVEWAY PROFILE       5	C-2
C-5       ENLARGED SITE PLAN       5         C-6       GRADING PLAN       5         C-7       GRADING PLAN       5         C-8       BASIN PROFILE       5         C-9       DRIVEWAY PROFILE       5	C-3
C-6       GRADING PLAN       5         C-7       GRADING PLAN       5         C-8       BASIN PROFILE       5         C-9       DRIVEWAY PROFILE       5	C-4
C-7         GRADING PLAN         5           C-8         BASIN PROFILE         5           C-9         DRIVEWAY PROFILE         5	C-5
C-8 BASIN PROFILE 5 C-9 DRIVEWAY PROFILE 5	C-6
C-9 DRIVEWAY PROFILE 5	C-7
	C-8
C-10 DRIVEWAY PROFILE 5	C-9
	C-10
A-1 COMPOUND PLAN & ELEVATION 5	A-1
A-2 DETAILS 5	A-2
A-3 DRAINAGE DETAILS 5	A-3
A-4 TRUCK TURNING PLAN 5	A-4
A-5 EROSION CONTROL NOTES & DETAILS 5	A-5
A-6 EROSION CONTROL DETAILS 5	A-6

CHECKED BY: RP

APPROVED BY:

	SUBMITTALS				
REV.	DATE	DESCRIPTION	BY		
5	10/17/23	PEER REVIEW COMMENTS	SLY		
4	08/09/23	ADD. STORM WATER ITEMS	SLY		
3	03/28/23	REVISED FOR ZONING	VD		
2	11/29/22	REVISED FOR ZONING	VD		
1	10/24/22	ISSUED FOR ZONING	VD		
0	09/07/22	ISSUED FOR DRIVEWAY PERMIT	VD		

SITE NUMBER: NAV-31

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

TITLE SHEET

(NSD-RL)

SHEET NUMBER

T-1

APPROVALS		
PROJECT MANAGER	DATE	
CONSTRUCTION	DATE	
RF ENGINEERING	DATE	
ZONING / SITE ACQ.	DATE	
OPERATIONS	DATE	
PROPERTY OWNER	DATE	

#### **GROUNDING NOTES**

- 1. AFTER INSTALLATION THE SUBCONTRACTOR SHALL INSPECT THE GROUNDING & LIGHTNING PROTECTION SYSTEMS FOR STRICT COMPLIANCE WITH THE NEC (AS ADOPTED BY THE AHJ), THE SITE-SPECIFIC (UL, LPI, OR NFPA) LIGHTING PROTECTION CODE, AND GENERAL COMPLIANCE WITH TELCORDIA AND TIA GROUNDING STANDARDS. THE SUBCONTRACTOR SHALL REPORT ANY VIOLATIONS OR ADVERSE FINDINGS TO THE CONTRACTOR FOR RESOLUTION.
- ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION, AND AC POWER GES'S) SHALL BE BONDED TOGETHER, AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
- 3. THE SUBCONTRACTOR SHALL PERFORM IEEE FALL—OF—POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81) FOR NEW GROUND ELECTRODE SYSTEMS. THE SUBCONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 5 OHMS OR LESS.
- 4. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
- 5. EACH BTS CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE MASTER GROUND BAR WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, #6 AWG STRANDED COPPER OR LARGER FOR INDOOR BTS AND #2 AWG STRANDED COPPER FOR OUTDOOR BTS.
- 6. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE
- 7. APPROVED ANTIOXIDANT COATINGS (I.E., CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.
- 8. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED OR BOLTED TO GROUND BAR.
- 9. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.
- 10. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.
- 11. METAL CONDUIT SHALL BE MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 AWG COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
- 12. ALL NEW STRUCTURES WITH A FOUNDATION AND/OR FOOTING HAVING 20 FT. OR MORE OF 1/2 IN. OR GREATER ELECTRICALLY CONDUCTIVE REINFORCING STEEL MUST HAVE IT BONDED TO THE GROUND RING USING AN EXOTHERMIC WELD CONNECTION USING #2 AWG SOLID BARE TINNED COPPER GROUND WIRE, PER NEC 250 50

#### **GENERAL NOTES**

1. FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:

CONTRACTOR - MARINER TOWER
SUBCONTRACTOR - GENERAL CONTRACTOR (CONSTRUCTION)
OWNER - MARINER TOWER

- PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING SUBCONTRACTOR SHALL VISIT
  THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONFIRM
  THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION
  DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF
  CONTRACTOR.
- 3. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
- 4. DRAWINGS PROVIDED HERE ARE NOT TO BE SCALED AND ARE INTENDED TO SHOW OUTLINE ONLY.
- 5. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
- 6. "KITTING LIST" SUPPLIED WITH THE BID PACKAGE IDENTIFIES ITEMS THAT WILL BE SUPPLIED BY CONTRACTOR. ITEMS NOT INCLUDED IN THE BILL OF MATERIALS AND KITTING LIST SHALL BE SUPPLIED BY THE SUBCONTRACTOR.
- THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
- 8. IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE CONTRACTOR.
- 9. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND T1 CABLES, GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWING. SUBCONTRACTOR SHALL UTILIZE EXISTING TRAYS AND/OR SHALL ADD NEW TRAYS AS NECESSARY. SUBCONTRACTOR SHALL CONFIRM THE ACTUAL ROUTING WITH THE CONTRACTOR.
- 10. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT SUBCONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.
- 11. SUBCONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED

- 12. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION.
- 13. ALL CONCRETE REPAIR WORK SHALL BE DONE IN ACCORDANCE WITH AMERICAN CONCRETE INSTITUTE (ACI) 301.
- 14. ANY NEW CONCRETE NEEDED FOR THE CONSTRUCTION SHALL BE AIR—ENTRAINED AND SHALL HAVE 4000 PSI STRENGTH AT 28 DAYS. ALL CONCRETE WORK SHALL BE DONE IN ACCORDANCE WITH ACI 318 CODE REQUIREMENTS.
- 15. ALL STRUCTURAL STEEL WORK SHALL BE DETAILED, FABRICATED AND ERECTED IN ACCORDANCE WITH AISC SPECIFICATIONS. ALL STRUCTURAL STEEL SHALL BE ASTM A36 (Fy = 36 ksi) UNLESS OTHERWISE NOTED. PIPES SHALL BE ASTM A53 TYPE E (Fy = 36 ksi). ALL STEEL EXPOSED TO WEATHER SHALL BE HOT DIPPED GALVANIZED. TOUCHUP ALL SCRATCHES AND OTHER MARKS IN THE FIELD AFTER STEEL IS ERECTED USING A COMPATIBLE ZINC RICH PAINT.
- 16. CONSTRUCTION SHALL COMPLY WITH SPECIFICATIONS AND "GENERAL CONSTRUCTION SERVICES FOR CONSTRUCTION OF MARINER TOWER SITES."
- 17. SUBCONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE DRAWINGS MUST BE VERIFIED. SUBCONTRACTOR SHALL NOTIFY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
- 18. TO AVOID UNNECESSARY CLEARING OF VEGETATION, MARINER WILL PROVIDE THE SOILS TEST REPORT, ALONG WITH THE FOUNDATION DESIGN AND TOWER DRAWINGS AT THE TIME OF APPLYING FOR THE BUILDING PERMIT.
- 19. APPLICABLE BUILDING CODES:

SUBCONTRACTOR'S WORK SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES AS ADOPTED BY THE LOCAL AUTHORITY HAVING JURISDICTION (AHJ) FOR THE LOCATION. THE EDITION OF THE AHJ ADOPTED CODES AND STANDARDS IN EFFECT ON THE DATE OF CONTRACT AWARD SHALL GOVERN THE DESIGN.

BUILDING CODE: IBC 2018 WITH NEW HAMPSHIRE AMENDMENTS ELECTRICAL CODE: REFER TO ELECTRICAL DRAWINGS LIGHTNING CODE: REFER TO ELECTRICAL DRAWINGS

SUBCONTRACTOR'S WORK SHALL COMPLY WITH THE LATEST EDITION OF THE FOLLOWING STANDARDS:

AMERICAN CONCRETE INSTITUTE (ACI) 318; BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE:

AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC)

MANUAL OF STEEL CONSTRUCTION, ASD, FOURTEENTH EDITION;

TELECOMMUNICATIONS INDUSTRY ASSOCIATION (TIA) 222-H, STRUCTURAL STANDARDS FOR STEEL

EQUIPMENT AND ANTENNA SUPPORTING STRUCTURES; REFER TO ELECTRICAL DRAWINGS FOR SPECIFIC ELECTRICAL STANDARDS.

FOR ANY CONFLICTS BETWEEN SECTIONS OF LISTED CODES AND STANDARDS REGARDING MATERIAL, METHODS OF CONSTRUCTION, OR OTHER REQUIREMENTS, THE MOST RESTRICTIVE REQUIREMENT SHALL GOVERN. WHERE THERE IS CONFLICT BETWEEN A GENERAL REQUIREMENT AND A SPECIFIC REQUIREMENT, THE SPECIFIC PROLUMEMENT SHALL COVERN

## MARINER TOWER Navigator Properties, LLC P.O. BOX 1160 KENNEBUNKPORT, ME 04044



CHECKED BY: RP

DPH

APPROVED BY:

SITE NUMBER: NAV-31

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SHEET TITLE


GENERAL NOTES

(NSD-RL)

SHEET NUMBER

GN-1

			ABBREVIATIONS		
AGL	ABOVE GRADE LEVEL	EQ	EQUAL	REQ	REQUIRED
AWG	AMERICAN WIRE GAUGE	GC	GENERAL CONTRACTOR	RF	RADIO FREQUENCY
BBU	BATTERY BACKUP UNIT	GRC	GALVANIZED RIGID CONDUIT	TBD	TO BE DETERMINED
BTCW	BARE TINNED SOLID COPPER WIRE	MGB	MASTER GROUND BAR	TBR	TO BE REMOVED
BGR	BURIED GROUND RING	MIN	MINIMUM	TBRR	TO BE REMOVED AND REPLACED
BTS	BASE TRANSCEIVER STATION	Р	PROPOSED	TYP	TYPICAL
Ε	EXISTING	NTS	NOT TO SCALE	UG	UNDER GROUND
EGB	EQUIPMENT GROUND BAR	RAD	RADIATION CENTER LINE (ANTENNA)	VIF	VERIFY IN FIELD
EGR	EQUIPMENT GROUND RING	REF	REFERENCE		



#### LEGEND

PROPERTY LINE - SUBJECT PARCEL

ABUTTERS PROPERTY LINE

STONEWALL

ZONING OVERLAY DISTRICT BOUNDARY

O IRON ROD FOUND

△ CALCULATED POINT O TOWER CONTROL POINT

#### SITE SPECIFIC NOTES:

1. FIELD SURVEY DATE: 8-9-2022 THRU 8-11-2022, 9-20-2023

2. HORIZONTAL DATUM: NORTH AMERICAN DATUM OF

1983 (NAD83)

3. VERTICAL DATUM: NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88)

GAIL J. BARRY & MICHAEL A. BARRY, JR. 15 STRAFFORD ROAD STRAFFORD, NH 03884

STRAFFORD EAST

15 STRAFFORD ROAD STRAFFORD, NH 03884

MARINER TOWER NAVIGATOR PROPERTIES, LLC P.O. BOX 1160 KENNEBUNKPORT, ME 04046

8. JURISDICTION: TOWN OF STRAFFORD STRAFFORD COUNTY

11-83 9. TAX ID:

10. DEED REFERENCE: BOOK 5048 PAGE 314 11. PLAN REFERENCE: BOOK 16 PAGE 88 BOOK 89 PAGE 21

THE HORIZONTAL DATUM AND VERTICAL DATUM WERE DERIVED FROM AN RTK GPS SURVEY.

13. ALL UNDERGROUND UTILITY INFORMATION PRESENTED HEREON WAS DETERMINED FROM SURFACE EVIDENCE ONLY. ALL UNDERGROUND UTILITIES SHOULD BE LOCATED IN THE FIELD PRIOR TO COMMENCEMENT OF ALL SITE WORK. CALL DIGSAFE 1–800–322–4844 A MINIMUM OF 72 HOURS PRIOR TO PLANNED ACTIVITY.

14. ACCORDING TO FEDERAL EMERGENCY MANAGEMENT AGENCY MAPS, THE LOCUS PROPERTY IS LOCATED IN AREAS DESIGNATED AS ZONE X (UNSHADED, AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN). COMMUNITY PANEL NO. 33017C 0190 D EFFECTIVE DATE: 05-17-2005

15. FIELD SURVEY BY EDM TOTAL STATION & RTK GPS.

16. THIS IS NOT A BOUNDARY SURVEY.

17. ALL PROPERTY LINES SHOWN ARE FROM FIELD EVIDENCE, DEEDS & PLANS OF RECORD AND GIS DATA AND ARE APPROXIMATE ONLY.

18. WETLANDS SHOWN ON PAGE C-2 WERE DELINEATED BY A & D KLUMB ENVIRONMENTAL, LLC ON 6/14/2022.

**ABUTTERS PLAN** 

500 FEET


22x34 SCALE: 1"=250'-0 11x17 SCALE: 1"=500'-0"

Navigator Properties, LLC P.O. BOX 1160 KENNEBUNKPORT, ME 04046



TEL: (978) 557-5553

NORTHEAST SURVEY CONSULTANTS





GAYLE E. BURCHARD NH LLS #878

CHECKED BY:

APPROVED BY:

GEB

	SUBMITTALS				
REV.	DATE	DESCRIPTION	BY		
3	10/17/23	ADD DRAINAGE LIMITS	BCF		
2	9/25/23	ADD TOPO/REMOVE LIDAR	BCF		
1	8/10/23	REVISE EASEMENTS/ADD LIDAR	BCF		
0	10/21/22	ISSUED FOR REVIEW	JDG		

SITE NUMBER: NAV-31

SITE NAME: STRAFFORD EAST


SITE ADDRESS:

15 STRAFFORD ROAD STRAFFORD, NH 03884

SHEET TITLE

ABUTTERS PLAN

SHEET NUMBER







Navigator Properties, LLC P.O. BOX 1160 KENNEBUNKPORT, ME 04046









CHECKED BY:

APPROVED BY:

	SUBMITTALS				
REV.	DATE	DESCRIPTION	BY		
3	10/17/23	ADD DRAINAGE LIMITS	BCF		
2	9/25/23	ADD TOPO/REMOVE LIDAR	BCF		
1	8/10/23	REVISE EASEMENTS/ADD LIDAR	BCF		

GEB

SITE NUMBER: NAV-31


0 10/21/22 ISSUED FOR REVIEW

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884

SHEET TITLE EXISTING CONDITIONS PLAN

SHEET NUMBER











GEB

SUBMITTALS					
REV.	DATE	DESCRIPTION	BY		
3	10/17/23	ADD DRAINAGE LIMITS	BCF		
2	9/25/23	ADD TOPO/REMOVE LIDAR	BCF		
1	8/10/23	REVISE EASEMENTS/ADD LIDAR	BCF		
Λ	10/21/22	ICCLIED EUD DEVIEW	IDC		

SITE NUMBER: NAV-31


SITE NAME: STRAFFORD EAST

SITE ADDRESS:

15 STRAFFORD ROAD STRAFFORD, NH 03884

SHEET TITLE EXISTING CONDITIONS PLAN

SHEET NUMBER



#### SOURCE

SURVEY PROVIDED BY NORTHEAST SURVEY CONSULTANTS, 3 FERRY STREET, STUDIO 1 EAST EASTHAMPTON, MA 01027, DATED: 10/17/23 (REV. 3)

#### LEGEND

XX - XXX

SUBJECT PROPERTY LINE

ABUTTING PROPERTY LINE

PARCEL ID (MAP-LOT)

EXISTING WETLANDS

#### NOTE:

- A WETLANDS REPORT WAS COMPLETED BY A&D KLUMB ENVIRONMENTAL, LLC. DATED: JUNE 27, 2022. THE CONCLUSION OF THIS REPORT STATED THAT A SMALL WETLAND AREA WAS IDENTIFIED WITHIN THE SLOPE TO THE WEST OF THE PROPOSED ACCESS ROAD. SEE WETLANDS REPORT FOR ADDITIONAL INFORMATION
- PER THE TOWN OF STRAFFORD NH TAX GIS MAPS, SOME EXISTING WETLANDS, STREAMS OR SURFACE WATER RESEVOIRS DO EXIST ON THE SUBJECT PROPERTY AND THE ADJACENT PARCEL PROPERTIES (SEE APPROXIMATE LOCATIONS ON SHEET C-4)

ABUTTING PROPERTY INFO

LAND USE

7000 FARM

9100 CHARITABLE MDL-94

9100

CHARITABLE MDL-94

9090

RELIGIOUS

CHURCH ETC MDL-00

1010

SINGLE FAMILY MDL-01

6104

HRDWD-UNMG

PROPERTY OWNER:

GLENN D. & SANDRA L.

PIERCE 934 PARKER MOUNTAIN RD STRAFFORD, NH 03884

STRAFFORD HISTORICAL

SOCIETY P.O. BOX 33

CTR STRAFFORD, NH 03815

STRAFFORD HISTORICAL

SOCIETY

PO BOX 33 CTR STRAFFORD, NH 03815

THIRD BAPTIST CHURCH

PO BOX 36

THIRD BAPTIST CHURCH PO BOX 36 CENTER STRAFFORD, NH 03815

CROTEAU CHARLES R

C/O CROTEAU PAULINE E

69 STRAFORD RD

STRAFFORD, NH 03884

TIMOTHY SEAN & LISA C.

HOOVER 6304 HEINEMAN COURT ROWLETT, TX 75089

CENTER STRAFFORD, NH 03815

NORTHEAST

団

CHECKED BY:

TEL: (978) 557-5553

APPROVED BY:

SUBMITTALS REV. DATE DESCRIPTION 5 10/17/23 PEER REVIEW COMMENTS 4 08/09/23 ADD. STORM WATER ITEMS 3 03/28/23 REVISED FOR ZONING 2 11/29/22 REVISED FOR ZONING VD 1 10/24/22 ISSUED FOR ZONING 0 09/07/22 ISSUED FOR DRIVEWAY PERMIT

DPH

SITE NUMBER: NAV-31


STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SITE PLAN


(NSD-RL)

SHEET NUMBER



MARINER

Navigator Properties, LLC P.O. BOX 1160 KENNEBUNKPORT, ME 04046



CHECKED BY:

APPROVED BY:

DPH

SUBMITTALS					
REV.	REV. DATE DESCRIPTION				
5	10/17/23	PEER REVIEW COMMENTS	SLY		
4	08/09/23	ADD. STORM WATER ITEMS	SLY		
3	03/28/23	REVISED FOR ZONING	VD		
2	11/29/22	REVISED FOR ZONING	VD		
1	10/24/22	ISSUED FOR ZONING	VD		
0	09/07/22	ISSUED FOR DRIVEWAY PERMIT	VD		
	5 4 3 2	5 10/17/23 4 08/09/23 3 03/28/23 2 11/29/22 1 10/24/22	5 10/17/23 PEER REVIEW COMMENTS 4 08/09/23 ADD. STORM WATER ITEMS 3 03/28/23 REVISED FOR ZONING 2 11/29/22 REVISED FOR ZONING 1 10/24/22 ISSUED FOR ZONING		


SITE NUMBER: NAV-31

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SHEET TITLE
ENLARGED SITE
PLAN

(NSD-RL)
SHEET NUMBER







DPH

SUBMITTALS				
REV.	DATE	DESCRIPTION	BY	
5	10/17/23	PEER REVIEW COMMENTS	SLY	
4	08/09/23	ADD. STORM WATER ITEMS	SLY	
3	03/28/23	REVISED FOR ZONING	VD.	
2	11/29/22	REVISED FOR ZONING	VD	
1	10/24/22	ISSUED FOR ZONING	VD	
0	09/07/22	ISSUED FOR DRIVEWAY PERMIT	VD	


SITE NUMBER: NAV-31

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

GRADING PLAN

SHEET NUMBER







APPROVED BY:

SUBMITTAL S

DPH

	SUDMITTALS			
	REV.	DATE	DESCRIPTION	BY
Ш				
Ш				
П	5	10/17/23	PEER REVIEW COMMENTS	SLY
П	4	08/09/23	ADD. STORM WATER ITEMS	SLY
П	3	03/28/23	REVISED FOR ZONING	VD
П	2	11/29/22	REVISED FOR ZONING	۷D
	-	10/24/22	ISSUED FOR ZONING	۷D
ı	0	09/07/22	ISSUED FOR DRIVEWAY PERMIT	VD
Ľ				

SITE NUMBER: NAV-31

STRAFFORD EAST


SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SHEET TITLE

GRADING PLAN

(NSD-RL)

SHEET NUMBER







APPROVED BY:

DPH

SITE NUMBER: NAV-31

STRAFFORD EAST


SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY


SHEET TITLE


BASIN PROFILE


(NSD-RL)


SHEET NUMBER















APPROVED BY:

DPH

SITE NUMBER: NAV-31

STRAFFORD EAST


SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SHEET TITLE

DRIVEWAY PROFILE

(NSD-RL)

SHEET NUMBER







APPROVED BY:

SUBMITTALS

REV. DATE DESCRIPTION

5. 10/17/23 DEEP DEVIEW COMMENTS

DPH

5 10/17/23 PEER REVIEW COMME 4 08/09/23 ADD. STORM WATER I 3 03/28/23 REVISED FOR ZONING		SLY
4 08/09/23 ADD. STORM WATER I 3 03/28/23 REVISED FOR ZONING		
3 03/28/23 REVISED FOR ZONING	EMC	
	EMO	SLY
		VD
2 11/29/22 REVISED FOR ZONING		VD
1 10/24/22 ISSUED FOR ZONING		VD
0 09/07/22 ISSUED FOR DRIVEWA	PERMIT	VD

SITE NUMBER: NAV-31

STRAFFORD EAST


SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY


SHEET TITLE

COMPOUND PLAN
& ELEVATION


(NSD-RL)
SHEET NUMBER

A-1





VD



MARINER
TOWER

Novigator Properlies, LLC
P.O. BOX 1160
KENNEBUNKPORT, ME 04046



CHECKED BY:

APPROVED BY:

SUBMITTALS

DPH

REV.	DATE	DESCRIPTION	BY
5	10/17/23	PEER REVIEW COMMENTS	SL
4	08/09/23	ADD. STORM WATER ITEMS	SL
3	03/28/23	REVISED FOR ZONING	٧ſ
2	11/29/22	REVISED FOR ZONING	٧ſ
-	10/24/22	ISSUED FOR ZONING	۷ſ
0	09/07/22	ISSUED FOR DRIVEWAY PERMIT	٧Į

SITE NUMBER: NAV-31

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SHEET TITLE
TRUCK
TURNING PLAN
(NSD-RL)

SHEET NUMBER

A-4

#### **EROSION CONTROL**

#### CONSTRUCTION SEQUENCE

- NOTIFY THE TOWN INLAND WETLANDS AGENT AT LEAST ONE WEEK PRIOR TO THE PRE-CONSTRUCTION MEETING.
- COMPLETE A "CALL BEFORE YOU DIG" PRIOR TO ANY ON SITE ACTIVITY. RECALL EVERY 30 DAYS.
- 3. INSTALL TEMPORARY SEDIMENT AND EROSION CONTROL MEASURES AS REQUIRED.
- 4. CUT AND STUMP AREAS OF PROPOSED CONSTRUCTION.
- WOOD CHIPS GENERATED FROM CLEARING ACTIVITIES MAY BE USED AS A TEMPORARY STABILIZATION MEASURE IN ADDITION TO SILT FENCING & HAY
- 6. INSTALL HAY BALES TO "BACK UP" SILTATION FENCE ALONG DOWNGRADIENT WETLANDS & RIVER BOUNDARIES.
- EXCAVATE 3-INCH LAYER OF TOP SOIL/ORGANICS FROM WITHIN
- STOCKPILE EXCAVATED SOILS AS FAR AS POSSIBLE FROM ENVIRONMENTALLY SENSITIVE AREAS.
- 9. REMOVE ASPHALT TO LIMITS SHOWN ON PLAN.
- 10. EXCAVATE FOR ANY SUBSURFACE UTILITIES.
- 11. ESTABLISH SEDIMENT AND EROSION CONTROLS AROUND ANY STOCKPILE SOILS.
- 12. INSTALL UTILITY SERVICES.
- 13. INSTALL HAY BALE PROTECTION AT STORM DRAINAGE INLETS (AS APPLICABLE)
- 14. DAILY, OR AS REQUIRED, CONSTRUCT, INSPECT, AND IF NECESSARY, REPAIR TEMPORARY SILT FENCES AND SEDIMENT TRAPS.
- 15. EXCAVATE FOR AND CONSTRUCT TOWER FOUNDATION AND CEMENT CONCRETE PADS
- 16. NO STORM FLOW SHALL BE ALLOWED TO ANY WETLANDS OR RIVERWAY.
- 17. INSTALL WEED CHECK FABRIC ON DRY, LEVEL SOIL.
- 18. COVER WEED CHECK FABRIC WITH 3-INCH LAYER OF WASHED GRAVEL (WITHIN COMPOUND)

#### IMPACT OF STORMWATER DURING CONSTRUCTION ACTIVITY

ALL SEDIMENT CONTROLS, INCLUDING SILTATION FENCES AND HAY BALES MUST BE INSPECTED WEEKLY OR IMMEDIATELY AFTER A STORMWATER RUNOFF GENERATING EVENT. ALL SEDIMENT CONTROLS MUST BE MAINTAINED IN AN EFFECTIVE CONDITION.

- IN THE EVENT THAT STORMWATER WITH SEDIMENT IS FLOWING ONTO SURROUNDING PAVEMENT, FOLLOWING MUST BE PERFORMED:
- ADDITIONAL MEASURES MUST BE TAKEN DURING TIMES OF RAIN OR FLOW. THESE INCLUDE THE CESSATION OF ALL CONSTRUCTION ACTIVITY AT TIMES OF "HEAVY RAIN" OR "SIGNIFICANT FLOW" WHICH HAVE THE POTENTIAL TO CAUSE SOIL TRANSPORT.

#### CONSTRUCTION SPECIFICATION - SILT FENCE:

- THE GEOTEXTILE FABRIC SHALL MEET THE DESIGN CRITERIA FOR SILT FENCES.
- THE FABRIC SHALL BE EMBEDDED A MINIMUM OF 8 INCHES INTO THE GROUND AND THE SOIL COMPACTED OVER THE EMBEDDED FABRIC.
- WOVEN WIRE FENCE SHALL BE FASTENED SECURELY TO THE FENCE POSTS WITH WIRE TIES OR STAPLES.
- 4. FILTER CLOTH SHALL BE FASTENED SECURELY TO THE WOVEN WIRE FENCE WITH TIES SPACED EVERY 24 INCHES AT THE TOP, MID-SECTION AND
- WHEN TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER, THEY SHALL BE OVERLAPPED BY 6 INCHES, FOLDED, AND STAPLED,
- 6. FENCE POSTS SHALL BE A MINIMUM OF 36 INCHES LONG AND DRIVEN A MINIMUM OF 16 INCHES INTO THE GROUND. WOOD POSTS SHALL BE OF SOUND QUALITY HARDWOOD AND SHALL HAVE A MINIMUM CROSS SECTIONAL AREA OF 3.0 SQUARE INCHES.
- MAINTENANCE SHALL BE PERFORMED AS NEEDED TO PREVENT BULGES IN THE SILT FENCE DUE TO DEPOSITION OF SEDIMENT.

#### MAINTENANCE - SILT FENCE


- 1. SILT FENCES SHALL BE INSPECTED IMMEDIATELY AFTER EACH RAINFALL AND AT LEAST DAILY DURING PROLONGED RAINFALL ANY REPAIRS THAT ARE REQUIRED SHALL BE MADE IMMEDIATELY
- 2. IF THE FABRIC ON A SILT FENCE SHOULD DECOMPOSE OR BECOME INEFFECTIVE DURING THE EXPECTED LIFE OF THE FENCE, THE FABRIC SHALL BE REPLACED PROMPTLY.
- 3. SEDIMENT DEPOSITS SHOULD BE INSPECTED AFTER EVERY STORM EVENT. THE DEPOSITS SHOULD BE REMOVED WHEN THEY REACHED APPROXIMATELY ONE-HALF THE HEIGHT OF THE BARRIER.
- 4. SEDIMENT DEPOSITS THAT ARE REMOVED OR LEFT IN PLACE AFTER THE FABRIC HAS BEEN REMOVED SHALL BE GRADED TO CONFORM WITH THE EXISTING TOPOGRAPHY AND VEGETATED.
- 5. REMOVE ALL SEDIMENTATION CONTROLS AFTER SOIL IS STABILIZED.

#### **EROSION CONTROL MEASURES:**


- 1. DISTURBED AREAS SHALL BE KEPT TO THE MINIMUM AREA NECESSARY TO CONSTRUCT THE ROADWAYS AND ASSOCIATED DRAINAGE FACILITIES.
- 2. HAY BALE BARRIERS AND SEDIMENT TRAPS SHALL BE INSTALLED AS REQUIRED. BARRIERS AND TRAPS ARE TO BE MAINTAINED AND CLEANED UNTIL ALL SLOPES HAVE A HEALTHY STAND OF GRASS.
- 3. BALED HAY AND MULCH SHALL BE MOWINGS OF ACCEPTABLE HERBACEOUS GROWTH, FREE FROM NOXIOUS WEEDS OR WOODY STEMS, AND SHALL BE DRY. NO SALT HAY SHALL BE USED.
- 4. FILL MATERIAL SHALL BE FREE FROM STUMPS, WOOD, ROOTS, ETC.
- 5. STOCKPILED MATERIALS SHALL BE PLACED ONLY IN AREAS SHOWN ON THE PLANS. STOCKPILES SHALL BE PROTECTED BY SILTATION FENCE
  AND SEEDED TO PREVENT EROSION. THESE MEASURES SHALL REMAIN UNTIL ALL MATERIAL HAS BEEN PLACED OR DISPOSED OFF SITE.
- 6. ALL DISTURBED AREAS SHALL BE LOAMED AND SEEDED. A MINIMUM OF 4 INCHES OF LOAM SHALL BE INSTALLED WITH NOT LESS THAN ONE POUND OF SEED PER 50 SQUARE YARDS OF AREA.
- 7. APPLICATION OF GRASS SEED, FERTILIZERS AND MULCH SHALL BE ACCOMPLISHED BY BROADCAST SEEDING OR HYDROSEEDING AT THE RATES OUTLINED BELOW:

<u>LIMESTONE:</u> <u>FERTILIZER</u> : <u>MULCH</u> :	75-100 LBS./1,000 SQ FT RATE RECOMMENDED BY MANUFACTURER HAY MULCH APPROXIMATELY 3 TON/ACRE UNLESS EROSION CONTROL MATTING IS USED
<u>SEED MIX</u> :	(SLOPES LESS THAN 4:1)       LBS./ACRE         CREEPING RED FESCUE       20         TALL FESCUE       20         REDTOP       2         42       42
	(SLOPES GREATER THAN 4:1) LBS./ACRE CREEPING RED FESCUE 20 TALL FESCUE 20 BIRDSFOOT TREEFOIL 8 48

- 8. AFTER ALL DISTURBED AREAS HAVE BEEN STABILIZED THE TEMPORARY EROSION CONTROL MEASURES ARE TO BE REMOVED.
- 9. ALL CATCH BASIN INLETS WILL BE PROTECTED WITH LOW POINT SEDIMENTATION BARRIER.
- 10. ALL STORM DRAINAGE OUTLETS WILL BE STABILIZED AND CLEANED AS REQUIRED, BEFORE THE DISCHARGE POINTS BECOME OPERATIONAL.
- 11. ALL DEWATERING OPERATIONS MUST DISCHARGE DIRECTLY INTO A SEDIMENT FILTER AREA.
- 12. NO DISCHARGE SHALL BE DIRECTED TOWARDS ANY PROPOSED DITCHES, SWALES, OR PONDS UNTIL THEY HAVE BEEN PROPERLY STABILIZED.







SILTSOCK SHALL BE FILTREXX SILTSOXX,

COMPOST MATERIAL SHALL BE DISPERSED ON SITE, AS DETERMINED BY THE

SILTSOCK SHALL BE INSPECTED PERIODICALLY AND AFTER ALL STORM EVENTS, AND REPAIR OR REPLACEMENT SHALL BE PERFORMED PROMPTLY AS

SEE SPECIFICATIONS FOR SOCK SIZE, AND COMPOST FILL, REQUIREMENTS.

SILT SOCK DETAIL SCALE: N.T.S





CHECKED BY

DPH

APPROVED BY:

SUBMITTALS DESCRIPTION REV. DATE 5 10/17/23 PEER REVIEW COMMENTS 4 08/09/23 ADD. STORM WATER ITEMS 3 03/28/23 REVISED FOR ZONING 2 11/29/22 REVISED FOR ZONING VD

> SITE NUMBERS NAV-31


1 10/24/22 ISSUED FOR ZONING 0 09/07/22 ISSUED FOR DRIVEWAY PERMIT

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD NH 03884 STRAFFORD COUNTY

SHEET TITLE **EROSION CONTROL** NOTES & DETAILS

> (NSD-RL) SHEET NUMBER



MARINER

Navigator Properties, LLC
P.O. BOX 1160
KENNEBUNKPORT, ME 04046



CHECKED BY: RP

APPROVED BY:

DPH

SITE NUMBER:

STRAFFORD EAST

SITE ADDRESS: 15 STRAFFORD ROAD STRAFFORD, NH 03884 STRAFFORD COUNTY

SHEET TITLE
EROSION CONTROL
DETAILS

(NSD-RL)
SHEET NUMBER

A-6